



®

BHARAT AUDIO

SPEAKS TO YOUR HEART.

LISTENS TO YOUR SOUL.



SERVICE

PROFESSIONAL

- SPEAKER
- WOOFER
- PROFESSIONAL DJ SPEAKER
- WOODEN COLUMN
- COLUMN STANDS
- TROLLEY SPEAKER
- TOWER
- PROFESSIONAL POWER AMPLIFIER
- COMPRESSOR DRIVER
- DRIVER UNIT
- MIXERS
- OUT DOOR AUDIO SYSTEMS
- ACCESSORIES



CALL US TODAY

+91 8756591029



bharataudio9@gmail.com



www.bharataudio.com



BA-SP-660G

Frame : MS, 6"
 Cone : Paper Cloth Edge
 Impedance : 8Ω
 RMS Power : 25W
 Magnet : 60X13



BA-SP-672DC

Frame : MS, 6"
 Cone : Paper Cone
 Impedance : 8Ω
 RMS Power : 30W
 Magnet : 70X32X15



BA-SP-872

Frame : MS, 8"
 Cone : Paper Cone
 Impedance : 8Ω
 RMS Power : 40W
 Magnet : 70X32X15



BA-SP-872G

Frame : MS, 8"
 Cone : Paper Cone
 Impedance : 8Ω
 RMS Power : 40W
 Magnet : 70X32X15



BA-SP-890

Frame : MS, 8"
 Cone : Paper Cone
 Impedance : 8Ω
 RMS Power : 50W
 Magnet : 90X36X17



BA-SP-1090

Frame : MS, 10"
 Cone : Foam Edge Cone
 Impedance : 8Ω
 RMS Power : 50W
 Magnet : 90X36X17



BA-SP-10120

Frame : MS, 10"
 Cone : Paper Cone Edge
 Impedance : 8Ω
 RMS Power : 100W
 Magnet : 120X57X20



BA-SP-12120

Frame : MS, 12"
 Cone : Paper Cone Edge
 Impedance : 8Ω
 RMS Power : 100W
 Magnet : 120X57X20



BA-WF-472 DC

Frame : MS, 4"
Cone : Foam Edge Cone
Impedance : 4Ω
RMS Power : 20W
Magnet : 70X32X15



BA-WF-5.25 MIDRANGE

Power- 20 Watt RMS Power
Program Power- 40 Watt
Basket - MS
Basket Size - 5.25"
Cone - Rubber Press Cone
Voice Coil - 25MM
Magnet - 70X32X15
Grade- Y30 Ferrite



BA-WF-690

Frame : MS, 6"
Cone : Paper Cone Edge
Impedance : 8Ω
RMS Power : 50 W
Magnet : 90X36X17



BA-WF-890G

Frame : MS, 8"
Cone : Paper Cloth Edge
Impedance : 8Ω
RMS Power : 50 W
Magnet : 90X36X17



BA-WF-1090-DBL

Frame : MS, 10"
Basket- MS
Cone : Paper Edge Cone
Impedance : 8Ω
RMS Power : 100 Watt
Magnet : 90X36X17



BA-WF-10120

Power- 80 Watt RMS Power
Program Power- 150watt
Basket- MS
Basket Size- 10"
Cone- Press Cone
Voice Coil-38mm
Magnet- 120x20
Grade- Y30 Ferrite



BA-WF-12120

Power- 100 Watt RMS Power
Program Power- 200 watt
Basket- MS
Basket Size- 12"
Cone- Press Cone
Voice Coil-38mm
Magnet- 120mm
Grade- Y30 Ferrite



BA-WF-12135

Power- 150 Watt RMS Power
Program Power- 300watt
Basket- MS
Basket Size- 12"
Cone- Press Cone
Voice Coil- 28mm
Magnet- 44mm
Grade- Y30 Ferrite



BA-SPK-12120

RMS Power- 100 Watt
Program Power- 200 Watt
Basket- MS
Size- 12"
Cone- Press Cone with Cotton
Edge Voice Coil 32mm
Magnet- 120
Grade- Y30 Ferrite



BA-FR-12135

RMS Power- 150 Watt
Program Power- 300 Watt
Basket - MS
Size - 12"
Cone-Press Cone with Cotton
Edge Voice Coil 38mm
Magnet - 134
Grade- Y30 Ferrite



BA-FR-12155

RMS Power - 200 Watt
Program Power - 400 Watt
Frame - MS, 12"
Cone :- Cloth Edge
Impedance - 8Ω
Voice Coil - 51mm
Magnet - 155X57X20
Grade- Y30 Ferrite



BA-12MB 200

RMS Power- 200 Watt
Program Power- 400 Watt
Basket - MS 12"
Impedance - 8Ω
Cone - Cloth Edge
Voice Coil -51mm
Magnet - 155X57X20
Grade- Y30 Ferrite



BA-12MB 400

RMS Power- 400 Watt
Program Power- 800 Watt
Basket - MS Heavy 12"
Cone - Cloth Edge
Impedance - 8Ω
Voice Coil -76.3 mm
Magnet - 180X85X20
Grade- Y30 Ferrite



BA-12RC400AL

RMS Power- 400 Watt
Program Power- 800Watt
Basket - Aluminium
Basket Size - 12"
Cone - Non Press Cone
Voice Coil -76.3Mm
Magnet - 180X85X20
Grade- Y30 Ferrite



BA-FR-15185 AL

RMS Power- 400 Watt
Program Power- 800 Watt
Basket - MS
Basket Size - 15"
Cone - Cloth Press Cone
Voice Coil -76.3Mm
Magnet - 180X85X20
Grade- Y30 Ferrite



BA-FR-15155

RMS Power- 300 Watt
Program Power- 600 Watt
Basket - 15"
Cone - Cloth Edge
Impedance - 8Ω
Voice Coil -62.5 mm
Magnet - 155X80X20
Grade- Y30 Ferrite



BA-15C500V3MBD

Power- 500 Watt RMS Power
Program Power- 1000Watt
Basket - Aluminium Heavy
Basket Size - 15"
Cone - Non Press Cone
Voice Coil -76.3MM
Magnet - 190X90X25
Grade- Y30 Ferrite



BA-15C500MBPD

Power- 500 Watt RMS Power
Program Power- 1000watt
Basket- Aluminium
Basket Size- 15"
Cone- Non Press Cone
Voice Coil-76.3Mm
Magnet- 190X90X25
Grade- Y35Ferrite



BA-15C500MBD

Power- 500 Watt RMS Power
Program Power- 1000 Watt
Basket - Aluminium Heavy"
Basket Size - 15"
Cone - Non Press Cone
Voice Coil - 76.3MM
Magnet - 190X90X25
Grade- Y30 Ferrite



BA-15C500MBC

Power- 500 Watt RMS Power
Program Power- 1000watt
Basket- Aluminium
Basket Size- 15"
Cone- Non Press Cone
Voice Coil-76.3Mm
Magnet- 190X90X25
Grade- Y30Ferrite



BA-15MB600DM

RMS Power- 600 Watt
Program Power- 1200 Watt
Basket - 15" Aluminium"
Cone - Cloth Edge
Impedance - 8Ω
Voice Coil -76.3 mm
Grade- Y30 Ferrite
Magnet - 185X85X40(Double Magnet)



BA-15MB1000V3

Power- 1000Watt RMS Power
Program Power- 2000 watt
Basket- Aluminium
Basket Size- 15"
Cone- Non Press Cone
Voice Coil-99.3mm
Magnet- 220X110X25
Grade- Y35Ferrite



BA-18Y1500/BA-18BN1500

RMS Power- 1500 Watt
Program Power- 3000 Watt
Basket - 18" Aluminium
Cone - Non Press Cone
Impedance - 8Ω
Voice Coil -99.3mm
Magnet - 220X110X25
Grade- Y30 Ferrite



BA-18PD280

Power- 2200Watt RMS Power
Program Power- 4400watt
Basket- Aluminium
Basket Size- 18"
Cone- Non Press Cone
Voice Coil- 125mm
Magnet- 280X140X25
Grade- Y35Ferrite



WOODEN COLUMN



COLUMN STANDS

BA-SC-103 SPK/WFR STAND

Weight : 8.5 KG
Load Capacity : 40 KG

BA-SC-10 H SPK/WFR STAND

Weight : 4.5 KG
Load Capacity : 25 KG

BA-SC-12 ECO SPK/WFR STAND

Weight : 2.35 KG
Load Capacity : 15 KG

BA-SC-104 SPK/WFR STAND

Weight : 8 KG
Load Capacity : 36 KG

TROLLEY SPEAKER

BA-C28

Frame : Ms, 8"
Cone : Paper Cloth Edge
Impedance : 8
RMS Power : 60 W
Magnet : 90X36X17
Voice Coil : 28mm
Grade : Y30 Ferrite



BA-SN1600

Power- AC110V-AC240V
Battery: 12V Lead Acid
RMS Power: 60W
Battery: 12V Lead Acid
RMS Power: 60W
Amplifier: Class D, USB/
TF card, FM radio Stereo
Bluetooth, Remote control



BA-SP152

Power- 40Hz~20KHz
Battery: 12V Lead Acid
RMS Power: 60W
Battery: 12V Lead Acid
RMS Power: 60W
Amplifier: Class D, USB/
TF card, FM radio Stereo
Bluetooth, Remote control



BA-TS888

Power Voltage: AC110V-AC240V
Amplifier: USB/SD Card, BT,
Remote Control Frequency
Range:50Hz-20KHz*
Microphone Input
Battery: 7Ah/12V
RMS Power:90W
Woofer: 15" X 1



TOWER

TS-2405

Frame : Ms, 8"
Cone : Paper Cloth Edge
Impedance : 8
RMS Power : 60 W
Magnet : 90X36X17
Voice Coil : 28mm
Grade : Y30 Ferrite



TS-2408

Power- 400 Watt RMS Power
Program Power- 800Watt
Basket - Aluminium
Basket Size - 12"
Cone - Non Press Cone
Voice Coil -76.3Mm
Magnet - 180x20
Grade- Y30 Ferrite



TS-3808

Frame : Ms, 8"
Cone : Paper Cloth Edge
Impedance : 8
RMS Power : 60 W
Magnet : 90X36X17
Voice Coil : 28mm
Grade : Y30 Ferrite



TS-3810

Power- 400 Watt RMS Power
Program Power- 800Watt
Basket - Aluminium
Basket Size - 12"
Cone - Non Press Cone
Voice Coil -76.3Mm
Magnet - 180x20
Grade- Y30 Ferrite



PROFESSIONAL POWER AMPLIFIER

BA-PBT501



POWER - 500 WATT

BA-MX1201



POWER- 1200 WATT

BA-DJ-2500



POWER - 2500 WATT

BA-DJ-4000



POWER - 4000 WATT

BA-CA-30



BA-PA-6000



BA-TZA200+200W



MIXERS

BA-PMX-802



BA-PMYG-8CH



BA-SM822X



COMPRESSOR DRIVER

TWEETER D-26



D-518 DELUXE



D450 HIGH POWER



DRIVER UNIT

DU-60



DU-100XT



DU-1000X



REFLEX HORN

Available in
16"/18"/21"



TRUMPHET HORN

Available in
12"/18"/20"/24"



GYPSY HORN SUH

Available in
15"/25"/35"



GYPSY HORN UHC

Available in
15"/25"/35"
(NORMAL & XT)



BA-10T

Power- 400 Watt RMS Power
Program Power- 800Watt
Basket - MS
Basket Size - 15"
Cone - Non Press Cone
Voice Coil -76.3Mm
Magnet - 180x20
Grade- Y30 Ferrite



BA-20T

Power- 400 Watt RMS Power
Program Power- 800Watt
Basket - MS
Basket Size - 15"
Cone - Non Press Cone
Voice Coil -76.3Mm
Magnet - 180x20
Grade- Y30 Ferrite



Microphone Connectors provide high-frequency heat and shock resistance to the product during an active connection. Our innovation in Microphone connectors enables performance you can count on amid the adverse environments.



Connector F-6
(Available in 18mm,
20mm & 22 mm)
Waterproof



Connector-I



Connector
P-38
Jack Plastic



Connector
P-38
Jack Metal



Connector
RCA Jack



Speakon
Connector



Connector
XLR DLX (F)
Black



Connector
XLR DLX (F)
Blue



Connector
XLR DLX (F)
Red



Connector
XLR DLX (M)
Black



Connector
XLR DLX (M)
Blue



Connector
XLR DLX (M)
Red



Connector
XLR
(F)



Connector
XLR
(M)



Fuse Holder
5mm x 20mm



Fuse Holder
6mm x 30mm



TV Jack
Right Angle
9.5mm



Connector
DC Plug
1.0 x 3.4 x 9 mm



Connector
DC Plug
0.7 x 2.5 x 9 mm



DC Power
Jack
Pin O.D.1.0mm



DC Plug
2.1 x 5.5 x 9 mm



DC Plug
2.1 x 5.5 x 14 mm



DC Power
Jack
Pin O.D.2.1mm



Banana
Jack
Nickel, Gold



Banana
Plug
Nickel



2P Binding
Post Gold
22 mm



RCA Jack
Small
Nickel, Gold



Alligator Clip
44 mm (Small)
Color: R/B/Y/B/G/W



RCA Plug
Metal W/Spring
Gold



Mono Plug
W/Protector
3.5 mm



Mono Plug Metal
W/Spring
3.5 mm



Mono Plug
Metal, Nickel
3.5 mm



XLR (F)
Plastic
3 Pins



XLR (M)
Plastic
3 Pins



Jack Cable
2xRCA Plugs to
2xRCA



+91 8756591029



bharataudio9@gmail.com

Or

Click On The Link



www.bharataudio.com



Office - Plot No. 38 Ground Floor
Yogirajpuram Mundka

Useful Links



@bharataudio



@bharataudio



@bharataudio4827

For further details, please contact :



Design and specifications are subject to change

without notice owing to continuous product up-gradation

Technical specification are subject to production tolerance.

We cannot be held responsible for printing errors, should they occur.